



High Velocity Nozzle - Adjustable Series



High Velocity Task / Air Outlet

- Low Noise High Velocity Discharge for Long Throw Applications
- Surface mount
- Suitable for Heating & Cooling Applications

Adjustability

- Easy Finger Tip Adjustment
- Directional Air Pattern Control
360° Global Rotation
Minimum ±30° Deflection

MODEL	Size	A	B	C	D	F	H
HVA-08	8	3-1/4	1	2-9/16	8	10-1/4	3-9/16
HVA-10	10	4-5/8	1-5/8	2-3/4	10	12/1/4	4-3/8
HVA-12	12	6	2	3-1/2	12	14-1/4	5-1/2
HVA-14	14	7	2-3/8	3-11/16	14	16-1/4	6-1/16
HVA-16	16	8	2-7/16	4-1/2	16	18-1/4	6-15/16
HVA-20	20	10	3-3/16	5-1/2	20	22-1/4	8-11/16

(Inches measured to the nearest 1/16")

Standard Material

- Heavy Gauge Aluminum

Notes

- Mounting Screws Included
- Concealed Mounting
- Architectural Cover Plate

Standard Finishes

- #00 mill
- #12 anodized powder coat
- #42 gloss black powder coat
- #43 flat black powder coat
- #52 white powder coat
- #62 grey primer powder coat (for field painting)
- #72 silver metallic powder coat
- #99 custom color / color match (paint chip required)

Project :	<h2>HVA Series</h2> <p>High Velocity Nozzle - Adjustable</p>
Architect :	
Engineer :	
Contractor :	Form # : 20041S
Submitted By :	Date :
Drawn By : MH January 2018	